

$$\therefore \frac{A(\Delta ABC)}{A(\Delta PQR)} = \frac{BC \times AD}{QR \times PS}$$

Hence the ratio of the areas of two triangles is equal to the ratio of the products of their bases and corresponding heights.

Base of a triangle is b_1 and height is h_1 . Base of another triangle is b_2 and height is h_2 . Then the ratio of their areas = $\frac{b_1 \times h_1}{b_2 \times h_2}$

Suppose some conditions are imposed on these two triangles,

Condition 1: If the heights of both triangles are equal then-




Fig. 1.3




Fig. 1.4

$$\frac{A(\Delta ABC)}{A(\Delta PQR)} = \frac{BC \times h}{QR \times h} = \frac{BC}{QR}$$

$$\therefore \frac{A(\Delta ABC)}{A(\Delta PQR)} = \frac{b_1}{b_2}$$

Property: The ratio of the areas of two triangles with equal heights is equal to the ratio of their corresponding bases.

Condition 2: If the bases of both triangles are equal then -




Fig. 1.5

$$\frac{A(\Delta ABC)}{A(\Delta APB)} = \frac{AB \times h_1}{AB \times h_2}$$

$$\frac{A(\Delta ABC)}{A(\Delta APB)} = \frac{h_1}{h_2}$$

Property: The ratio of the areas of two triangles with equal bases is equal to the ratio of their corresponding heights.

Activity :

Fill in the blanks properly.

(i)




Fig. 1.6

$$\frac{A(\Delta ABC)}{A(\Delta APQ)} = \frac{\square \times \square}{\square \times \square} = \frac{\square}{\square}$$

(ii)




Fig.1.7

$$\frac{A(\Delta LMN)}{A(\Delta DMN)} = \frac{\square \times \square}{\square \times \square} = \frac{\square}{\square}$$

(iii)

M is the midpoint of seg AB and seg CM is a median of ΔABC

$$\begin{aligned} \therefore \frac{A(\Delta AMC)}{A(\Delta BMC)} &= \frac{\square}{\square} \\ &= \frac{\square}{\square} = \square \end{aligned}$$

State the reason.




Fig. 1.8

Solved Examples

Ex. (1)




Fig.1.9

In adjoining figure

$AE \perp$ seg BC, seg $DF \perp$ line BC,

$AE = 4$, $DF = 6$, then find $\frac{A(\Delta ABC)}{A(\Delta DBC)}$.

Solution : $\frac{A(\Delta ABC)}{A(\Delta DBC)} = \frac{AE}{DF}$ bases are equal, hence areas proportional to heights.

$$= \frac{4}{6} = \frac{2}{3}$$

Ex.(4)




Fig. 1.12

In adjoining figure in ΔABC , point D is on side AC. If $AC = 16$, $DC = 9$ and $BP \perp AC$, then find the following ratios.

- (i) $\frac{A(\Delta ABD)}{A(\Delta ABC)}$ (ii) $\frac{A(\Delta BDC)}{A(\Delta ABC)}$
- (iii) $\frac{A(\Delta ABD)}{A(\Delta BDC)}$

Solution : In ΔABC point P and D are on side AC, hence B is common vertex of ΔABD , ΔBDC , ΔABC and ΔAPB and their sides AD, DC, AC and AP are collinear. Heights of all the triangles are equal. Hence, areas of these triangles are proportional to their bases. $AC = 16$, $DC = 9$

$$\therefore AD = 16 - 9 = 7$$

$$\therefore \frac{A(\Delta ABD)}{A(\Delta ABC)} = \frac{AD}{AC} = \frac{7}{16} \dots \dots \dots \text{triangles having equal heights}$$

$$\frac{A(\Delta BDC)}{A(\Delta ABC)} = \frac{DC}{AC} = \frac{9}{16} \dots \dots \dots \text{triangles having equal heights}$$

$$\frac{A(\Delta ABD)}{A(\Delta BDC)} = \frac{AD}{DC} = \frac{7}{9} \dots \dots \dots \text{triangles having equal heights}$$



Remember this!

- Ratio of areas of two triangles is equal to the ratio of the products of their bases and corresponding heights.
- Areas of triangles with equal heights are proportional to their corresponding bases.
- Areas of triangles with equal bases are proportional to their corresponding heights.

Practice set 1.1

1. Base of a triangle is 9 and height is 5. Base of another triangle is 10 and height is 6. Find the ratio of areas of these triangles.



Let's learn.

Basic proportionality theorem

Theorem : If a line parallel to a side of a triangle intersects the remaining sides in two distinct points, then the line divides the sides in the same proportion.

Given : In ΔABC line $l \parallel$ line BC and line l intersects AB and AC in point P and Q respectively

To prove : $\frac{AP}{PB} = \frac{AQ}{QC}$

Construction: Draw seg PC and seg BQ




Fig. 1.17

Proof : ΔAPQ and ΔPQB have equal heights.

$$\therefore \frac{A(\Delta APQ)}{A(\Delta PQB)} = \frac{AP}{PB} \quad \dots\dots\dots \text{(I) (areas proportionate to bases)}$$

$$\text{and } \frac{A(\Delta APQ)}{A(\Delta PQC)} = \frac{AQ}{QC} \quad \dots\dots\dots \text{(II) (areas proportionate to bases)}$$

seg PQ is common base of ΔPQB and ΔPQC . $\text{seg } PQ \parallel \text{seg } BC$, hence ΔPQB and ΔPQC have equal heights.

$$A(\Delta PQB) = A(\Delta PQC) \quad \dots\dots\dots \text{(III)}$$

$$\frac{A(\Delta APQ)}{A(\Delta PQB)} = \frac{A(\Delta APQ)}{A(\Delta PQC)} \quad \dots\dots\dots \text{[from (I), (II) and (III)]}$$

$$\therefore \frac{AP}{PB} = \frac{AQ}{QC} \quad \dots\dots\dots \text{[from (I) and (II)]}$$

Converse of basic proportionality theorem

Theorem : If a line divides any two sides of a triangle in the same ratio, then the line is parallel to the third side.

In figure 1.18, line l intersects the side AB and side AC of ΔABC in the points P and Q respectively and $\frac{AP}{PB} = \frac{AQ}{QC}$, hence line $l \parallel$ seg BC .



Remember this!




Fig. 1.25

(1) Basic proportionality theorem.

In ΔABC , if $\text{seg } PQ \parallel \text{seg } AC$

$$\text{then } \frac{AP}{BP} = \frac{QC}{BQ}$$

(2) Converse of basic proportionality theorem.

In ΔPQR , if $\frac{PS}{SQ} = \frac{PT}{TR}$

then $\text{seg } ST \parallel \text{seg } QR$.




Fig. 1.26




Fig. 1.27

(3) Theorem of bisector of an angle of a triangle.

If in ΔABC , BD is bisector of $\angle ABC$,

$$\text{then } \frac{AB}{BC} = \frac{AD}{DC}$$

(4) Property of three parallel lines and their transversals.

If line $AX \parallel$ line $BY \parallel$ line CZ

and line l and line m are their

transversals then $\frac{AB}{BC} = \frac{XY}{YZ}$




Fig. 1.28

Solved Examples

Ex. (1) In ΔABC , $DE \parallel BC$
 If $DB = 5.4$ cm, $AD = 1.8$ cm
 $EC = 7.2$ cm then find AE .




Fig. 1.29

Solution : In ΔABC , $DE \parallel BC$

$$\therefore \frac{AD}{DB} = \frac{AE}{EC} \dots\dots \text{Basic proportionality theorem}$$

$$\therefore \frac{1.8}{5.4} = \frac{AE}{7.2}$$

$$\therefore AE \times 5.4 = 1.8 \times 7.2$$

$$\therefore AE = \frac{1.8 \times 7.2}{5.4} = 2.4$$

$$AE = 2.4 \text{ cm}$$

Ex. (2) In ΔPQR , seg RS bisects $\angle R$.
 If $PR = 15$, $RQ = 20$ $PS = 12$
 then find SQ .




Fig. 1.30

Solution : In ΔPRQ , seg RS bisects $\angle R$.

$$\frac{PR}{RQ} = \frac{PS}{SQ} \dots\dots \text{property of angle bisector}$$

$$\frac{15}{20} = \frac{12}{SQ}$$

$$SQ = \frac{12 \times 20}{15}$$

$$\therefore SQ = 16$$

Activity :




Fig. 1.31

In the figure 1.31, $AB \parallel CD \parallel EF$
 If $AC = 5.4$, $CE = 9$, $BD = 7.5$
 then find DF

Solution : $AB \parallel CD \parallel EF$

$$\frac{AC}{CE} = \frac{BD}{DF} \dots\dots (\quad)$$

$$\frac{5.4}{9} = \frac{7.5}{DF} \therefore DF = \quad$$

Activity :




Fig. 1.32

In $\triangle ABC$, ray BD bisects $\angle ABC$.
 $A-D-C$, side $DE \parallel$ side BC , $A-E-B$ then
 prove that, $\frac{AB}{BC} = \frac{AE}{EB}$

Proof : In $\triangle ABC$, ray BD bisects $\angle B$.

$$\therefore \frac{AB}{BC} = \frac{AD}{DC} \dots (I) \text{ (Angle bisector theorem)}$$

In $\triangle ABC$, $DE \parallel BC$

$$\frac{AE}{EB} = \frac{AD}{DC} \dots (II) \text{ (.....)}$$

$$\frac{AB}{\square} = \frac{\square}{EB} \dots \text{ from (I) and (II)}$$

Practice set 1.2

1. Given below are some triangles and lengths of line segments. Identify in which figures, ray PM is the bisector of $\angle QPR$.




Fig. 1.33




Fig. 1.34




Fig. 1.35

2. In $\triangle PQR$, $PM = 15$, $PQ = 25$
 $PR = 20$, $NR = 8$. State whether line
 NM is parallel to side RQ . Give
 reason.




Fig. 1.36

3. In $\triangle MNP$, NQ is a bisector of $\angle N$.
If $MN = 5$, $PN = 7$, $MQ = 2.5$ then
find QP .




Fig. 1.37




Fig. 1.38

4. Measures of some angles in the figure
are given. Prove that

$$\frac{AP}{PB} = \frac{AQ}{QC}$$

5. In trapezium $ABCD$,
side $AB \parallel$ side $PQ \parallel$ side DC , $AP = 15$,
 $PD = 12$, $QC = 14$, find BQ .




Fig. 1.39




Fig. 1.40

6. Find QP using given information
in the figure.

7. In figure 1.41, if $AB \parallel CD \parallel FE$
then find x and AE .




Fig. 1.41






Fig. 1.42

9. In ΔABC , seg BD bisects $\angle ABC$.
 If $AB = x$, $BC = x + 5$,
 $AD = x - 2$, $DC = x + 2$, then find
 the value of x .

8. In ΔLMN , ray MT bisects $\angle LMN$.
 If $LM = 6$, $MN = 10$, $TN = 8$,
 then find LT .




Fig. 1.43




Fig. 1.44

10. In the figure 1.44, X is any point
 in the interior of triangle. Point X is
 joined to vertices of triangle.
 Seg $PQ \parallel$ seg DE , seg $QR \parallel$ seg EF .
 Fill in the blanks to prove that,
 seg $PR \parallel$ seg DF .

Proof : In ΔXDE , $PQ \parallel DE$

$$\therefore \frac{XP}{\square} = \frac{\square}{QE}$$

In ΔXEF , $QR \parallel EF$

$$\therefore \frac{\square}{\square} = \frac{\square}{\square}$$

$$\therefore \frac{\square}{\square} = \frac{\square}{\square}$$

\therefore seg $PR \parallel$ seg DE

.....

..... (I) (Basic proportionality theorem)

.....

.....(II)

..... from (I) and (II)

..... (converse of basic proportionality theorem)

- 11^{*}. In ΔABC , ray BD bisects $\angle ABC$ and ray CE bisects $\angle ACB$.
 If seg $AB \cong$ seg AC then prove that $ED \parallel BC$.



Similar triangles




Fig. 1.45

In ΔABC and ΔDEF , if $\angle A \cong \angle D$,
 $\angle B \cong \angle E$, $\angle C \cong \angle F$

and $\frac{AB}{DE} = \frac{BC}{EF} = \frac{AC}{DF}$

then ΔABC and ΔDEF are similar triangles.

‘ ΔABC and ΔDEF are similar’ is expressed as ‘ $\Delta ABC \sim \Delta DEF$ ’



Tests of similarity of triangles

For similarity of two triangles, the necessary conditions are that their corresponding sides are in same proportion and their corresponding angles are congruent. Out of these conditions; when three specific conditions are fulfilled, the remaining conditions are automatically fulfilled. This means for similarity of two triangles, only three specific conditions are sufficient. Similarity of two triangles can be confirmed by testing these three conditions. The groups of such sufficient conditions are called tests of similarity, which we shall use.

AAA test for similarity of triangles

For a given correspondence of vertices, when corresponding angles of two triangles are congruent, then the two triangles are similar.

In ΔABC and ΔPQR , in the correspondence $ABC \leftrightarrow PQR$ if
 $\angle A \cong \angle P$, $\angle B \cong \angle Q$ and $\angle C \cong \angle R$
 then $\Delta ABC \sim \Delta PQR$.




Fig. 1.46

SAS test of similarity of triangles

For a given correspondence of vertices of two triangles, if two pairs of corresponding sides are in the same proportion and the angles between them are congruent, then the two triangles are similar.




Fig. 1.48

For example, if in ΔKLM and ΔRST ,

$$\angle KLM \cong \angle RST$$

$$\frac{KL}{RS} = \frac{LM}{ST} = \frac{2}{3}$$

Therefore, $\Delta KLM \sim \Delta RST$

SSS test for similarity of triangles

For a given correspondence of vertices of two triangles, when three sides of a triangle are in proportion to corresponding three sides of another triangle, then the two triangles are similar.




Fig. 1.49

For example, if in ΔPQR and ΔXYZ ,

$$\text{If } \frac{PQ}{YZ} = \frac{QR}{XY} = \frac{PR}{XZ}$$

then $\Delta PQR \sim \Delta ZYX$

Properties of similar triangles :

- (1) $\Delta ABC \sim \Delta ABC$ - Reflexivity
- (2) If $\Delta ABC \sim \Delta DEF$ then $\Delta DEF \sim \Delta ABC$ - Symmetry
- (3) If $\Delta ABC \sim \Delta DEF$ and $\Delta DEF \sim \Delta GHI$, then $\Delta ABC \sim \Delta GHI$ - Transitivity

***** Solved Examples *****

Ex. (1) In ΔXYZ ,

$$\angle Y = 100^\circ, \angle Z = 30^\circ,$$

In ΔLMN ,

$$\angle M = 100^\circ, \angle N = 30^\circ,$$

Are ΔXYZ and ΔLMN

similar? If yes, by which test?




Fig. 1.50

Ex. (4)




Fig. 1.53

In the adjoining figure $BP \perp AC$, $CQ \perp AB$, $A - P - C$, $A - Q - B$, then prove that ΔAPB and ΔAQC are similar.

Solution : In ΔAPB and ΔAQC

$$\angle APB = \square^\circ \text{ (I)}$$

$$\angle AQC = \square^\circ \text{ (II)}$$

$$\therefore \angle APB \cong \angle AQC \dots \text{from (I) and (II)}$$

$$\angle PAB \cong \angle QAC \dots (\square)$$

$$\therefore \Delta APB \sim \Delta AQC \dots \text{AA test}$$

Ex. (5) Diagonals of a quadrilateral ABCD intersect in point Q. If $2QA = QC$, $2QB = QD$, then prove that $DC = 2AB$.




Fig. 1.54

Given : $2QA = QC$

$2QB = QD$

To prove : $CD = 2AB$

Proof : $2QA = QC \therefore \frac{QA}{QC} = \frac{1}{2}$

..... (I)

$$2QB = QD \therefore \frac{QB}{QD} = \frac{1}{2}$$

..... (II)

$$\therefore \frac{QA}{QC} = \frac{QB}{QD}$$

.....from (I) and (II)

In ΔAQB and ΔCQD ,

$$\frac{QA}{QC} = \frac{QB}{QD}$$

..... proved

$$\angle AQB \cong \angle DQC$$

..... opposite angles

$$\therefore \Delta AQB \sim \Delta CQD$$

..... (SAS test of similarity)

$$\therefore \frac{AQ}{CQ} = \frac{QB}{QD} = \frac{AB}{CD}$$

..... corresponding sides are proportional

But $\frac{AQ}{CQ} = \frac{1}{2} \therefore \frac{AB}{CD} = \frac{1}{2}$

$$\therefore 2AB = CD$$

Practice set 1.3

1. In figure 1.55, $\angle ABC = 75^\circ$,
 $\angle EDC = 75^\circ$ state which two triangles are similar and by which test? Also write the similarity of these two triangles by a proper one to one correspondence.




Fig. 1.55




Fig. 1.56

2. Are the triangles in figure 1.56 similar? If yes, by which test ?

3. As shown in figure 1.57, two poles of height 8 m and 4 m are perpendicular to the ground. If the length of shadow of smaller pole due to sunlight is 6 m then how long will be the shadow of the bigger pole at the same time ?




Fig. 1.57




Fig. 1.58

4. In ΔABC , $AP \perp BC$, $BQ \perp AC$
 $B-P-C$, $A-Q-C$ then prove that,
 $\Delta CPA \sim \Delta CQB$.
 If $AP = 7$, $BQ = 8$, $BC = 12$
 then find AC .

5. **Given :** In trapezium PQRS,
 side $PQ \parallel$ side SR , $AR = 5AP$,
 $AS = 5AQ$ then prove that,
 $SR = 5PQ$




Fig. 1.59

6. In trapezium ABCD, (Figure 1.60) side $AB \parallel$ side DC , diagonals AC and BD intersect in point O . If $AB = 20$, $DC = 6$, $OB = 15$ then find OD .




Fig. 1.60

7. \square ABCD is a parallelogram point E is on side BC . Line DE intersects ray AB in point T . Prove that $DE \times BE = CE \times TE$.




Fig. 1.61

8. In the figure, seg AC and seg BD intersect each other in point P and $\frac{AP}{CP} = \frac{BP}{DP}$. Prove that, $\triangle ABP \sim \triangle CDP$




Fig. 1.62

9. In the figure, in $\triangle ABC$, point D on side BC is such that,
 $\angle BAC = \angle ADC$.
 Prove that, $CA^2 = CB \times CD$




Fig. 1.63



Theorem of areas of similar triangles

Theorem : When two triangles are similar, the ratio of areas of those triangles is equal to the ratio of the squares of their corresponding sides.




Fig. 1.64

Given : $\Delta ABC \sim \Delta PQR$, $AD \perp BC$, $PS \perp QR$

To prove: $\frac{A(\Delta ABC)}{A(\Delta PQR)} = \frac{AB^2}{PQ^2} = \frac{BC^2}{QR^2} = \frac{AC^2}{PR^2}$

Proof : $\frac{A(\Delta ABC)}{A(\Delta PQR)} = \frac{BC \times AD}{QR \times PS} = \frac{BC}{QR} \times \frac{AD}{PS}$ (I)

In ΔABD and ΔPQS ,

$\angle B = \angle Q$ given

$\angle ADB = \angle PSQ = 90^\circ$

\therefore According to AA test $\Delta ABD \sim \Delta PQS$

$\therefore \frac{AD}{PS} = \frac{AB}{PQ}$ (II)

But $\Delta ABC \sim \Delta PQR$

$\therefore \frac{AB}{PQ} = \frac{BC}{QR}$ (III)

From (I), (II) and (III)

$$\frac{A(\Delta ABC)}{A(\Delta PQR)} = \frac{BC}{QR} \times \frac{AD}{PS} = \frac{BC}{QR} \times \frac{BC}{QR} = \frac{BC^2}{QR^2} = \frac{AB^2}{PQ^2} = \frac{AC^2}{PR^2}$$

Solved Examples

Ex. (1) : $\Delta ABC \sim \Delta PQR$, $A(\Delta ABC) = 16$, $A(\Delta PQR) = 25$, then find the value of ratio $\frac{AB}{PQ}$.

Solution : $\Delta ABC \sim \Delta PQR$

$$\therefore \frac{A(\Delta ABC)}{A(\Delta PQR)} = \frac{AB^2}{PQ^2} \quad \dots\dots\dots \text{theorem of areas of similar triangles}$$

$$\therefore \frac{16}{25} = \frac{AB^2}{PQ^2} \quad \therefore \frac{AB}{PQ} = \frac{4}{5} \quad \dots\dots\dots \text{taking square roots}$$

Ex. (2) Ratio of corresponding sides of two similar triangles is 2:5, If the area of the small triangle is 64 sq.cm. then what is the area of the bigger triangle ?

Solution : Assume that $\Delta ABC \sim \Delta PQR$.

ΔABC is smaller and ΔPQR is bigger triangle.

$$\therefore \frac{A(\Delta ABC)}{A(\Delta PQR)} = \frac{(2)^2}{(5)^2} = \frac{4}{25} \quad \dots\dots\dots \text{ratio of areas of similar triangles}$$

$$\therefore \frac{64}{A(\Delta PQR)} = \frac{4}{25}$$

$$4 \times A(\Delta PQR) = 64 \times 25$$

$$A(\Delta PQR) = \frac{64 \times 25}{4} = 400$$

\therefore area of bigger triangle = 400 sq.cm.

Ex. (3) In trapezium ABCD, side AB \parallel side CD, diagonal AC and BD intersect each other at point P. Then prove that $\frac{A(\Delta ABP)}{A(\Delta CPD)} = \frac{AB^2}{CD^2}$.

Solution : In trapezium ABCD side AB \parallel side CD

In ΔAPB and ΔCPD

$\angle PAB \cong \angle PCD$ alternate angles

$\angle APB \cong \angle CPD$ opposite angles

$\therefore \Delta APB \sim \Delta CPD$ AA test of similarity




Fig. 1.65

$$\frac{A(\Delta APB)}{A(\Delta CPD)} = \frac{AB^2}{CD^2} \quad \dots\dots\dots \text{theorem of areas of similar triangles}$$

Practice set 1.4

1. The ratio of corresponding sides of similar triangles is 3 : 5; then find the ratio of their areas .

2. If $\Delta ABC \sim \Delta PQR$ and $AB: PQ = 2:3$, then fill in the blanks.

$$\frac{A(\Delta ABC)}{A(\Delta PQR)} = \frac{AB^2}{\square} = \frac{2^2}{3^2} = \frac{\square}{\square}$$

3. If $\Delta ABC \sim \Delta PQR$, $A(\Delta ABC) = 80$, $A(\Delta PQR) = 125$, then fill in the blanks.

$$\frac{A(\Delta ABC)}{A(\Delta \dots)} = \frac{80}{125} \quad \therefore \frac{AB}{PQ} = \frac{\square}{\square}$$

4. $\Delta LMN \sim \Delta PQR$, $9 \times A(\Delta PQR) = 16 \times A(\Delta LMN)$. If $QR = 20$ then find MN .

5. Areas of two similar triangles are 225 sq.cm. 81 sq.cm. If a side of the smaller triangle is 12 cm, then find corresponding side of the bigger triangle .

6. ΔABC and ΔDEF are equilateral triangles. If $A(\Delta ABC) : A(\Delta DEF) = 1 : 2$ and $AB = 4$, find DE .

7. In figure 1.66, $seg PQ \parallel seg DE$, $A(\Delta PQF) = 20$ units, $PF = 2 DP$, then find $A(\square DPQE)$ by completing the following activity.

$A(\Delta PQF) = 20$ units, $PF = 2 DP$, Let us assume $DP = x$. $\therefore PF = 2x$

$$DF = DP + \square = \square + \square = 3x$$

In ΔFDE and ΔFPQ ,

$\angle FDE \cong \angle \dots$ corresponding angles

$\angle FED \cong \angle \dots$ corresponding angles

$\therefore \Delta FDE \sim \Delta FPQ \dots$ AA test

$$\therefore \frac{A(\Delta FDE)}{A(\Delta FPQ)} = \frac{\square}{\square} = \frac{(3x)^2}{(2x)^2} = \frac{9}{4}$$

$$A(\Delta FDE) = \frac{9}{4} A(\Delta FPQ) = \frac{9}{4} \times \square = \square$$

$$A(\square DPQE) = A(\Delta FDE) - A(\Delta FPQ)$$

$$= \square - \square$$

$$= \square$$




Fig. 1.66

1. Select the appropriate alternative.

(1) In ΔABC and ΔPQR , in a one

to one correspondence

$$\frac{AB}{QR} = \frac{BC}{PR} = \frac{CA}{PQ} \text{ then}$$

- (A) $\Delta PQR \sim \Delta ABC$
- (B) $\Delta PQR \sim \Delta CAB$
- (C) $\Delta CBA \sim \Delta PQR$
- (D) $\Delta BCA \sim \Delta PQR$




Fig. 1.67

(2) If in ΔDEF and ΔPQR ,

$$\angle D \cong \angle Q, \angle R \cong \angle E$$

then which of the following statements is false ?

- (A) $\frac{EF}{PR} = \frac{DF}{PQ}$
- (B) $\frac{DE}{PQ} = \frac{EF}{RP}$
- (C) $\frac{DE}{QR} = \frac{DF}{PQ}$
- (D) $\frac{EF}{RP} = \frac{DE}{QR}$




Fig. 1.68

(3) In ΔABC and ΔDEF $\angle B = \angle E$,

$$\angle F = \angle C \text{ and } AB = 3DE \text{ then}$$

which of the statements regarding the two triangles is true ?

- (A) The triangles are not congruent and not similar
- (B) The triangles are similar but not congruent.
- (C) The triangles are congruent and similar.
- (D) None of the statements above is true.




Fig. 1.69

(4) ΔABC and ΔDEF are equilateral triangles, $A(\Delta ABC) : A(\Delta DEF) = 1 : 2$

If $AB = 4$ then what is length of DE ?

- (A) $2\sqrt{2}$
- (B) 4
- (C) 8
- (D) $4\sqrt{2}$




Fig. 1.70

10. In fig 1.78, bisectors of $\angle B$ and $\angle C$ of ΔABC intersect each other in point X. Line AX intersects side BC in point Y. $AB = 5$, $AC = 4$, $BC = 6$ then find $\frac{AX}{XY}$.




Fig. 1.78

11. In $\square ABCD$, $\text{seg } AD \parallel \text{seg } BC$. Diagonal AC and diagonal BD intersect each other in point P. Then show that $\frac{AP}{PD} = \frac{PC}{BP}$




Fig. 1.79




Fig. 1.80

12. In fig 1.80, $XY \parallel \text{seg } AC$. If $2AX = 3BX$ and $XY = 9$. Complete the activity to find the value of AC.

Activity : $2AX = 3BX \therefore \frac{AX}{BX} = \frac{\square}{\square}$

$\frac{AX + BX}{BX} = \frac{\square + \square}{\square}$ by componendo.

$\frac{AB}{BX} = \frac{\square}{\square}$ (I)

$\Delta BCA \sim \Delta BYX$ \square test of similarity.

$\therefore \frac{BA}{BX} = \frac{AC}{XY}$ corresponding sides of similar triangles.

$\therefore \frac{\square}{\square} = \frac{AC}{9} \therefore AC = \square$...from (I)

- 13*. In figure 1.81, the vertices of square DEFG are on the sides of ΔABC . $\angle A = 90^\circ$. Then prove that $DE^2 = BD \times EC$
(Hint : Show that ΔGBD is similar to ΔCFE . Use $GD = FE = DE$.)




Fig. 1.81

