

# 5

## Expansion formulae



Let's recall.

We have studied the following expansion formulae in previous standard.

$$(i) (a + b)^2 = a^2 + 2ab + b^2, \quad (ii) (a - b)^2 = a^2 - 2ab + b^2,$$

$$(iii) (a + b)(a - b) = a^2 - b^2$$

Use the above formulae to fill proper terms in the following boxes.

$$(i) (x + 2y)^2 = x^2 + \boxed{\phantom{000}} + 4y^2$$

$$(ii) (2x - 5y)^2 = \boxed{\phantom{000}} - 20xy + \boxed{\phantom{000}}$$

$$(iii) (101)^2 = (100 + 1)^2 = \boxed{\phantom{000}} + \boxed{\phantom{000}} + 1^2 = \boxed{\phantom{000}}$$


$$(iv) (98)^2 = (100 - 2)^2 = 10000 - \boxed{\phantom{000}} + \boxed{\phantom{000}} = \boxed{\phantom{000}}$$

$$(v) (5m + 3n)(5m - 3n) = \boxed{\phantom{000}} - \boxed{\phantom{000}} = \boxed{\phantom{000}} - \boxed{\phantom{000}}$$



Let's learn.

**Activity :** Expand  $(x + a)(x + b)$  using formulae for areas of a square and a rectangle.



$$(x + a)(x + b) = x^2 + ax + bx + ab$$

$$(x + a)(x + b) = x^2 + (a + b)x + ab$$

### (I) Expansion of $(x + a)(x + b)$

$(x + a)$  and  $(x + b)$  are binomials with one term in common. Let us multiply them.

$$(x + a)(x + b) = x(x + b) + a(x + b) = x^2 + bx + ax + ab$$

$$= x^2 + (a + b)x + ab$$

$$\therefore \boxed{(x + a)(x + b) = x^2 + (a + b)x + ab}$$

## Expand

**Ex. (1)**  $(x + 2)(x + 3) = x^2 + (2 + 3)x + (2 \times 3) = x^2 + 5x + 6$

**Ex. (2)**  $(y + 4)(y - 3) = y^2 + (4 - 3)y + (4) \times (-3) = y^2 + y - 12$

**Ex. (3)**  $(2a + 3b)(2a - 3b) = (2a)^2 + [(3b) + (-3b)]2a + [3b \times (-3b)]$   
 $= 4a^2 + 0 \times 2a - 9b^2 = 4a^2 - 9b^2$

**Ex. (4)**  $\left(m + \frac{3}{2}\right)\left(m + \frac{1}{2}\right) = m^2 + \left(\frac{3}{2} + \frac{1}{2}\right)m + \frac{3}{2} \times \frac{1}{2} = m^2 + 2m + \frac{3}{4}$

**Ex. (5)**  $(x - 3)(x - 7) = x^2 + (-3 - 7)x + (-3)(-7) = x^2 - 10x + 21$

### Practice Set 5.1

1. Expand.

(1)  $(a + 2)(a - 1)$       (2)  $(m - 4)(m + 6)$       (3)  $(p + 8)(p - 3)$

(4)  $(13 + x)(13 - x)$       (5)  $(3x + 4y)(3x + 5y)$       (6)  $(9x - 5t)(9x + 3t)$

(7)  $\left(m + \frac{2}{3}\right)\left(m - \frac{7}{3}\right)$       (8)  $\left(x + \frac{1}{x}\right)\left(x - \frac{1}{x}\right)$       (9)  $\left(\frac{1}{y} + 4\right)\left(\frac{1}{y} - 9\right)$



Let's learn.

### (II) Expansion of $(a + b)^3$

$$\begin{aligned}(a + b)^3 &= (a + b)(a + b)(a + b) = (a + b)(a + b)^2 \\ &= (a + b)(a^2 + 2ab + b^2) \\ &= a(a^2 + 2ab + b^2) + b(a^2 + 2ab + b^2) \\ &= a^3 + 2a^2b + ab^2 + ba^2 + 2ab^2 + b^3 \\ &= a^3 + 3a^2b + 3ab^2 + b^3\end{aligned}$$

$$\therefore (a + b)^3 = a^3 + 3a^2b + 3ab^2 + b^3$$

Let us study some examples based on the above expansion formula.

**Ex. (1)**  $(x + 3)^3$

We know that  $(a + b)^3 = a^3 + 3a^2b + 3ab^2 + b^3$

In the given example,  $a = x$  and  $b = 3$

$$\begin{aligned}\therefore (x + 3)^3 &= (x)^3 + 3 \times x^2 \times 3 + 3 \times x \times (3)^2 + (3)^3 \\ &= x^3 + 9x^2 + 27x + 27\end{aligned}$$

**Ex. (2)**  $(3x + 4y)^3 = (3x)^3 + 3(3x)^2(4y) + 3(3x)(4y)^2 + (4y)^3$   
 $= 27x^3 + 3 \times 9x^2 \times 4y + 3 \times 3x \times 16y^2 + 64y^3$   
 $= 27x^3 + 108x^2y + 144xy^2 + 64y^3$

**Ex. (3)**  $\left(\frac{2m}{n} + \frac{n}{2m}\right)^3 = \left(\frac{2m}{n}\right)^3 + 3\left(\frac{2m}{n}\right)^2\left(\frac{n}{2m}\right) + 3\left(\frac{2m}{n}\right)\left(\frac{n}{2m}\right)^2 + \left(\frac{n}{2m}\right)^3$   
 $= \frac{8m^3}{n^3} + 3\left(\frac{4m^2}{n^2}\right)\left(\frac{n}{2m}\right) + 3\left(\frac{2m}{n}\right)\left(\frac{n^2}{4m^2}\right) + \frac{n^3}{8m^3}$   
 $= \frac{8m^3}{n^3} + \frac{6m}{n} + \frac{3n}{2m} + \frac{n^3}{8m^3}$

**Ex. (4)**  $(41)^3 = (40 + 1)^3 = (40)^3 + 3 \times (40)^2 \times 1 + 3 \times 40 \times (1)^2 + (1)^3$   
 $= 64000 + 4800 + 120 + 1 = 68921$

### Practice Set 5.2

**1. Expand.**

- |                 |                                      |                                       |  |
|-----------------|--------------------------------------|---------------------------------------|--|
| (1) $(k + 4)^3$ | (2) $(7x + 8y)^3$                    | (3) $(7 + m)^3$                       | (4) $(52)^3$                                     |
| (5) $(101)^3$   | (6) $\left(x + \frac{1}{x}\right)^3$ | (7) $\left(2m + \frac{1}{5}\right)^3$ | (8) $\left(\frac{5x}{y} + \frac{y}{5x}\right)^3$ |

**Activity :** Make two cubes of side  $a$  and of side  $b$  each. Make six parallelepipeds; three of them measuring  $a \times a \times b$  and the remaining three measuring  $b \times b \times a$ . Arrange all these solid figures properly and make a cube of side  $(a + b)$ .



### (III) Expansion of $(a - b)^3$

$$\begin{aligned}\therefore (a - b)^3 &= (a - b)(a - b)(a - b) = (a - b)(a - b)^2 \\ &= (a - b)(a^2 - 2ab + b^2) \\ &= a(a^2 - 2ab + b^2) - b(a^2 - 2ab + b^2)\end{aligned}$$

$$= a^3 - 2a^2b + ab^2 - a^2b + 2ab^2 - b^3$$

$$= a^3 - 3a^2b + 3ab^2 - b^3$$

$$\therefore \boxed{(a - b)^3 = a^3 - 3a^2b + 3ab^2 - b^3}$$

**Ex. (1)** Expand  $(x - 2)^3$

$$(a - b)^3 = a^3 - 3a^2b + 3ab^2 - b^3 \quad \text{Here taking , } a = x \text{ and } b = 2,$$

$$(x - 2)^3 = (x)^3 - 3 \times x^2 \times 2 + 3 \times x \times (2)^2 - (2)^3$$

$$= x^3 - 6x^2 + 12x - 8$$

**Ex. (2)** Expand  $(4p - 5q)^3$ .

$$(4p - 5q)^3 = (4p)^3 - 3(4p)^2(5q) + 3(4p)(5q)^2 - (5q)^3$$

$$(4p - 5q)^3 = 64p^3 - 240p^2q + 300pq^2 - 125q^3$$

**Ex. (3)** Find cube of 99 using the expansion formula.

$$(99)^3 = (100 - 1)^3 = (100)^3 - 3 \times (100)^2 \times 1 + 3 \times 100 \times (1)^2 - 1^3$$

$$= 1000000 - 30000 + 300 - 1 = 9,70,299$$

**Ex. (4)** Simplify.

$$\begin{aligned} \text{(i) } (p + q)^3 + (p - q)^3 &= p^3 + 3p^2q + 3pq^2 + q^3 + p^3 - 3p^2q + 3pq^2 - q^3 \\ &= 2p^3 + 6pq^2 \end{aligned}$$

$$\text{(ii) } (2x + 3y)^3 - (2x - 3y)^3$$

$$= [(2x)^3 + 3(2x)^2(3y) + 3(2x)(3y)^2 + (3y)^3]$$

$$- [(2x)^3 - 3(2x)^2(3y) + 3(2x)(3y)^2 - (3y)^3]$$

$$= (8x^3 + 36x^2y + 54xy^2 + 27y^3) - (8x^3 - 36x^2y + 54xy^2 - 27y^3)$$

$$= 8x^3 + 36x^2y + 54xy^2 + 27y^3 - 8x^3 + 36x^2y - 54xy^2 + 27y^3$$

$$= 72x^2y + 54y^3$$



**Now I know.**

$$\text{(i) } (a + b)^3 = a^3 + 3a^2b + 3ab^2 + b^3 = a^3 + b^3 + 3ab(a + b)$$

$$\text{(ii) } (a - b)^3 = a^3 - 3a^2b + 3ab^2 - b^3 = a^3 - b^3 - 3ab(a - b)$$

### Practice Set 5.3

1. Expand.

$$\begin{array}{llll}
 (1) (2m - 5)^3 & (2) (4 - p)^3 & (3) (7x - 9y)^3 & (4) (58)^3 \\
 (5) (198)^3 & (6) \left(2p - \frac{1}{2p}\right)^3 & (7) \left(1 - \frac{1}{a}\right)^3 & (8) \left(\frac{x}{3} - \frac{3}{x}\right)^3
 \end{array}$$

2. Simplify.

$$\begin{array}{ll}
 (1) (2a + b)^3 - (2a - b)^3 & (2) (3r - 2k)^3 + (3r + 2k)^3 \\
 (3) (4a - 3)^3 - (4a + 3)^3 & (4) (5x - 7y)^3 + (5x + 7y)^3
 \end{array}$$



#### (IV) Expansion of $(a + b + c)^2$

$$\begin{aligned}
 (a + b + c)^2 &= (a + b + c) \times (a + b + c) \\
 &= a(a + b + c) + b(a + b + c) + c(a + b + c) \\
 &= a^2 + ab + ac + ab + b^2 + bc + ac + bc + c^2 \\
 &= a^2 + b^2 + c^2 + 2ab + 2bc + 2ac
 \end{aligned}$$

$$\therefore \boxed{(a + b + c)^2 = a^2 + b^2 + c^2 + 2ab + 2bc + 2ac.}$$

**Ex. (1)** Expand:  $(p + q + 3)^2$

$$\begin{aligned}
 &= p^2 + q^2 + (3)^2 + 2 \times p \times q + 2 \times q \times 3 + 2 \times p \times 3 \\
 &= p^2 + q^2 + 9 + 2pq + 6q + 6p = p^2 + q^2 + 2pq + 6q + 6p + 9
 \end{aligned}$$

**Ex. (2)** Fill in the boxes with appropriate terms in the steps of expansion.

$$\begin{aligned}
 &(2p + 3m + 4n)^2 \\
 &= (2p)^2 + (3m)^2 + \boxed{\phantom{00}} + 2 \times 2p \times 3m + 2 \times \boxed{\phantom{00}} \times 4n + 2 \times 2p \times \boxed{\phantom{00}} \\
 &= \boxed{\phantom{00}} + 9m^2 + \boxed{\phantom{00}} + 12pm + \boxed{\phantom{00}} + \boxed{\phantom{00}}
 \end{aligned}$$

**Ex. (3)** Simplify  $(l + 2m + n)^2 + (l - 2m + n)^2$

$$\begin{aligned}
 &= l^2 + 4m^2 + n^2 + 4lm + 4mn + 2ln + l^2 + 4m^2 + n^2 - 4lm - 4mn + 2ln \\
 &= 2l^2 + 8m^2 + 2n^2 + 4ln
 \end{aligned}$$

## Practice Set 5.4

1. Expand. (1)  $(2p + q + 5)^2$  (2)  $(m + 2n + 3r)^2$   
 (3)  $(3x + 4y - 5p)^2$  (4)  $(7m - 3n - 4k)^2$
2. Simplify. (1)  $(x - 2y + 3)^2 + (x + 2y - 3)^2$   
 (2)  $(3k - 4r - 2m)^2 - (3k + 4r - 2m)^2$  (3)  $(7a - 6b + 5c)^2 + (7a + 6b - 5c)^2$



### Answers

- Practice Set 5.1** (1)  $a^2 + a - 2$  (2)  $m^2 + 2m - 24$  (3)  $p^2 + 5p - 24$   
 (4)  $169 - x^2$  (5)  $9x^2 + 27xy + 20y^2$  (6)  $81x^2 - 18xt - 15t^2$   
 (7)  $m^2 - \frac{5}{3}m - \frac{14}{9}$  (8)  $x^2 - \frac{1}{x^2}$  (9)  $\frac{1}{y^2} - \frac{5}{y} - 36$

- Practice Set 5.2** (1)  $k^3 + 12k^2 + 48k + 64$  (2)  $343x^3 + 1176x^2y + 1344xy^2 + 512y^3$   
 (3)  $343 + 147m + 21m^2 + m^3$  (4) 140608 (5) 1030301  
 (6)  $x^3 + 3x + \frac{3}{x} + \frac{1}{x^3}$  (7)  $8m^3 + \frac{12m^2}{5} + \frac{6m}{25} + \frac{1}{125}$   
 (8)  $\frac{125x^3}{y^3} + \frac{15x}{y} + \frac{3y}{5x} + \frac{y^3}{125x^3}$

- Practice Set 5.3** 1. (1)  $8m^3 - 60m^2 + 150m - 125$  (2)  $64 - 48p + 12p^2 - p^3$   
 (3)  $343x^3 - 1323x^2y + 1701xy^2 - 729y^3$  (4) 1,95,112  
 (5) 77,62,392 (6)  $8p^3 - 6p + \frac{3}{2p} - \frac{1}{8p^3}$   
 (7)  $1 - \frac{3}{a} + \frac{3}{a^2} - \frac{1}{a^3}$  (8)  $\frac{x^3}{27} - x + \frac{9}{x} - \frac{27}{x^3}$
2. (1)  $24a^2b + 2b^3$  (2)  $54r^3 + 72rk^2$   
 (3)  $-288a^2 - 54$  (4)  $250x^3 + 1470xy^2$

- Practice Set 5.4** 1. (1)  $4p^2 + q^2 + 25 + 4pq + 10q + 20p$   
 (2)  $m^2 + 4n^2 + 9r^2 + 4mn + 12nr + 6mr$   
 (3)  $9x^2 + 16y^2 + 25p^2 + 24xy - 40py - 30px$   
 (4)  $49m^2 + 9n^2 + 16k^2 - 42mn + 24nk - 56km$
2. (1)  $2x^2 + 8y^2 + 18 - 24y$  (2)  $32rm - 48kr$   
 (3)  $98a^2 + 72b^2 + 50c^2 - 120bc$

